U.S. Appln. No.: 10/534,023 Atty. Docket No.: P70573US0

Amendments to the Claims

This listing of claims replaces all prior versions, and listings, of claims in the application.

Listing of Claims

- 1. (Currently amended) A method of improving the producing aluminum fuel particles having improved ignitability and burn rate of aluminium fuel particles, characterised in that comprising treating the aluminium aluminum fuel particles are treated with an aqueous solution of hydrofluoric acid and at least one of (i) a fluoride and/or and (ii) a complex fluoride of at least one of an alkali metal and/or and an alkaline earth metal to form a surface layer of a fluoride complex bound to the aluminium aluminum fuel particles.
- 2. (Currently amended) A The method as claimed in claim 1, characterised in that wherein an alkaline earth metal ion is added to the aqueous solution in the a final stage of the treatment.
- 3. (Currently amended) A The method as claimed in claim 1, characterised in that wherein the alkali metal fluoride is selected among from the group consisting of sodium, potassium, rubidium, and cesium fluoride.

U.S. Appln. No.: 10/534,023 Atty. Docket No.: P70573US0

- 4. (Currently amended) A The method as claimed in claim 1, characterised in that wherein the complex fluoride is a hexafluoroaluminate or a hexafluorosilicate.
- 5. (Currently amended) A The method as claimed in claim 1, characterised in that wherein the alkali metal fluoride is sodium fluoride and the fluoride complex is cryolite.
- 6. (Currently amended) A The method as claimed in claim 1, characterised in that wherein the alkali metal fluoride is potassium fluoride and the fluoride complex is tripotassium hexafluoroaluminate.
- 7. (Currently amended) Aluminium Aluminum fuel particles for use in propellant and explosive compositions and pyrotechnic charges, characterised in that the fuel particles have said fuel particles comprising a surface layer of a fluoride complex provided by treatment of aluminium aluminum particles with an aqueous solution of hydrofluoric acid and at least one of (i) a fluoride and/or and (ii) a complex fluoride of at least one of an alkali metal and/or and an alkaline earth metal.
- 8. (Currently amended) Aluminium The aluminum fuel particles as claimed in claim 7, characterised in that wherein the alkali

U.S. Appln. No.: 10/534,023 Atty. Docket No.: P70573US0

metal fluoride is selected among from the group consisting of sodium, potassium, rubidium, and cesium fluoride.

- 9. (Currently amended) Aluminium The aluminum fuel particles as claimed in claim 7, characterised in that wherein the complex fluoride is a hexafluoroaluminate or a hexafluorosilicate.
- 10. (Currently amended) Aluminium The aluminum fuel particles as claimed in claim 7, characterised in that wherein the alkali metal fluoride is sodium fluoride and the fluoride complex is cryolite.
- 11. (Currently amended) Aluminium The aluminum fuel particles as claimed in claim 7, characterised in that wherein the alkali metal fluoride is potassium fluoride and the fluoride complex is tripotassium hexafluoroaluminate.